



DUMNIE z POLSKI



Producer of rubber, PVC, EVA and TRC

Hersteller von Schue aus gummi, PVC, EVA und TRC



Catalog



TECHWORK










Producer of footwear with rubber, PVC, EVA i TRC

FAGUM-STOMIL



























Since 1899

TABLE OF CONTENTS

| | |
|-------------------------------------------------------------------------------------------------------|----|
| About us | 3 |
|  Rubber shoes | 4 |
|  PVC shoes | 7 |
|  EVA shoes | 12 |
|  TRC shoes | 15 |
|  BASIC WHITE shoes | 16 |
|  PREMIUM WHITE shoes | 18 |
|  TECHWORK shoes | 20 |
|  Hunting & Fishing | 26 |
|  Accessories | 33 |

Pictograms used in descriptions of boots - legend:

| | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------|
|  | Antislip outsole |  | Made of natural rubber |
|  | Anti-static boots |  | Glued and sewn sole |
|  | Acid-resistance |  | Lightness |
|  | Air permeability |  | Decreased water absorption material |
|  | EC type approval certificate |  | Composite toe cap |
|  | Low temperature resistance |  | Steel toe cap |
|  | Resistance to concentrated lyes and acids |  | Hard rubber toe cap |
|  | Tested in mining industry |  | Puncture-resistant midsole |
|  | Made of synthetic material |  | High temperature-resistant outsole |
|  | Compliance with the EEC directive |  | Energy absorption in the heel |
|  | Resistance to chemicals in food industry |  | Removable insulation socks |
|  | Genuine leather |  | ESD anti-static boots |
|  | Footwear equipped with 3MTM Scotchlite™ reflective material | | |

Dear Customers,

since our company was established in 1899 new generations of people connected with Fagum-Stomil have been using their best efforts to meet the customers' expectations. 120 years' experience is a great capital of which we are extremely proud.

We are the company with a 100% domestic capital. We design and manufacture footwear in Poland. In 2015 our principal place of business was moved from Łódź to the ultramodern plant in Łuków. However, we continue to develop and improve. We want the footwear manufactured by us to be even better.

Our company is a manufacturer of protective footwear, safe, fishing, hunting footwear as well as general use footwear. The footwear produced by us has practical application in all areas of human activity, namely in: processing and chemical industry, power industry, mining, construction industry, transport as well as in agriculture, gardening and forestry, hunting and angling. It is also provided to uniformed and medical services.

Our offer includes the footwear made of natural rubber, PU, PVC, EVA or innovative TRC material. The majority of our production is manufactured using the most durable immediate injection moulding method but other technological solutions are also applied.



Head office in Łuków

Our longtime experience, abundant human assets, modern machinery, investment in modern technologies and continuous desire to develop are the factors that made us a reliable and predictable business partner. The highest quality, neat workmanship, durability and comfort of use are characteristic features of our products thanks to which we earned trust of customers in Poland and a lot countries in Europe.

The highest quality of our products is also certified by prestigious awards and prizes. They include the Certificate Marka Lubelska, Gazele Biznesu 2017 or MTP Gold Medal at the SAWO International Fair of Work Protection, Fire-Fighting and Rescue Equipment 2018 for our Monster wellington boots made of innovative TRC material.

We work on the attractiveness of our product offer. Moreover, we are open to any individual and non-standard cooperation proposals.



Awards won in 2018



Art. 820 WODER

Product meets the requirements of:

ISO 20347: 2012 OB A SRC

Material: rubber

Lining: cotton

System installation: vulcanization forms, manual packaging

Available sizes: 39 - 47

Available colors: black

Height shoes: 85 cm

Weight per pair: about 2,8 kg

Art. 822 WODER

Product meets the requirements of:

ISO 20345: 2012 S5 SRC

ISO 20345: 2012 S4 SRC - art. 821

Material: rubber

Lining: cotton

System installation: vulcanization forms, manual packaging

Available sizes: 39 - 46

Available colors: black

Height shoes: 85 cm

Weight per pair: about 3 kg



Art. 6196 TYTAN

Product meets the requirements of:

ISO 20345: 2012 S5 SRC

ISO 20345: 2012 S4 SRC - art. 6191 TYTAN

Material: rubber

Lining: cotton

System installation: vulcanization forms

Available sizes: 41 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2,7 kg



Art. 6189

Product meets the requirements of:

ISO 20347: 2012 OB A SRC

Material: rubber

Lining: cotton

System installation: vulcanization forms

Available sizes: 39 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg



Art. 6192

Product meets the requirements of:

ISO 20347: 2012 OB

Material: rubber

Lining: cotton

System installation: vulcanization forms

Available sizes: 39 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg



Art. 6187

Product meets the requirements of:

ISO 20347: 2012 OB

Material: rubber

Lining: cotton

System installation: vulcanization forms

Available sizes: 39 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 1,9 kg





Art. 6250 BORYNA

Product meets the requirements of:

ISO 20347: 2012 OB CI SRC

Material: rubber

Lining: non-woven

Collar: felt

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg



Art. 6251

Product meets the requirements of:

ISO 20347: 2012 OB CI SRC

Material: rubber

Lining: non-woven

Collar: waterproof material


System installation: vulcanization forms

Available sizes: 39 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg



Art. 6197 TYTAN

Product meets the requirements of:

ISO 20345: 2012 S5 CI SRC

ISO 20345: 2012 S4 CI SRC - art. 6195

Material: rubber

Lining: cotton

System installation: vulcanization forms

Available sizes: 41 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg



Art. 6198 TYTAN

Product meets the requirements of:

ISO 20347: 2012 OB A FO

Material: rubber

Lining: cotton

System installation: vulcanization forms

Available sizes: 41 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg





Art. OL 900

Product meets the requirements of:

ISO 20347: 2012 O4 FO CI SRC

Material: PVC modified with rubber

Lining: non-woven

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: brown

Height shoes: 31 cm

Weight per pair: about 1,8 kg

NA IENIE



Art. KŁ 900

Product meets the requirements of:

ISO 20347: 2012 O4 FO CI SRC

Material: PVC modified with rubber

Lining: non-woven

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: red

Height shoes: 31 cm

Weight per pair: about 1,8 kg



TO ORDER



Art. ES 900

Product meets the requirements of:

ISO 20347: 2012 OB A SRC

Material: PVC modified with rubber

Lining: non-woven

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: black

Height shoes: 31 cm

Weight per pair: about 1,8 kg



Art. FS 900

Product meets the requirements of:

ISO 20347: 2012 OB CI SRC

Material: PVC modified with rubber

Lining: non-woven

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: black

Height shoes: 31 cm

Weight per pair: about 1,8 kg





Art. F 900

Product meets the requirements of:

ISO 20347: 2012 OB FO CI SRC

Material: PVC modified with rubber

Lining: non-woven

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: black

Height shoes: 31 cm

Weight per pair: about 1,8 kg



Art.13110

Product meets the requirements of:

ISO 20347: 2012 OB FO SRA

Material: PVC modified with rubber

Lining: textile materials

System installation: formed by injection moulding

Available sizes: 39 - 46

Available colors: brown

Height shoes: 40 cm

Weight per pair: about 2 kg



Art. 13111

Product meets the requirements of:

ISO 20347: 2012 OB FO SRA

Material: PVC modified with rubber

Lining: textile materials

System installation: formed by injection moulding

Available sizes: 39 - 46

Available colors: red

Height shoes: 40 cm

Weight per pair: about 2 kg



Art. 13149

Product meets the requirements of:

ISO 20345: 2012 FO S4 SRC

Material: PVC modified with rubber

Lining: non-woven polyamide

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: red

Height shoes: 37 cm

Weight per pair: about 2,5 kg



Art. 13223

Product meets the requirements of:

ISO 20347: 2012 OB FO SRC

Material: PVC modified with rubber

Lining: textile materials

System installation: formed by injection moulding

Available sizes: 36 - 42

Available colors: red, brown -

Height shoes: 25 cm

Weight per pair: about 1,2 kg



Art. 13148

Product meets the requirements of:

ISO 20345: 2012 SB FO SRC

Material: PVC

Lining: non-woven polyamide

Collar: waterproof material

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: black

Height shoes: 37 cm + 8 cm

Weight per pair: about 2,5 kg



Art. 13137 SZTYGAR

Product meets the requirements of:

ISO 20345: 2012 S4 SRC

Material: PVC

Lining: non-woven polyamide

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: black

Height shoes: 25 cm

Weight per pair: about 2,5 kg



Art. 13150

Product meets the requirements of:

ISO 20345: 2012 S5 SRC

Material: PVC

Lining: non-woven polyamide

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2,7 kg





Art. 13157

*Product meets the requirements of:
ISO 20347: 2012 OB FO SRC*

Material: PVC

Lining: non-woven polyamide

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2,4 kg



Art. 13158

*Product meets the requirements of:
ISO 20347: 2012 OB FO SRC*

Material: PVC

Lining: non-woven polyamide

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: black

Height shoes: 37 cm + 8 cm collar

Weight per pair: about 2,4 kg



Art. 13157/A

*Product meets the requirements of:
ISO 20347: 2012 O4 FO SRC*

Material: PVC

Lining: non-woven polyamide

System installation: formed by injection moulding

Available sizes: 39 - 48

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2,4 kg



Art. 13174

*Product meets the requirements of:
ISO 20347: 2012 OB*

Material: PVC

Lining: textile material

System installation: formed by injection moulding

Available sizes: 36 - 46

Available colors: black

Height shoes: 40 cm

Weight per pair: about 2 kg



TO ORDER

**Art. 13119 DARIA****Material:** PVC**Lining:** textile material**System installation:** formed by injection moulding**Available sizes:** 37 - 42**Available colors:** turquoise, lime, black**Height shoes:** 16 cm**Weight per pair:** about 1 kg**Art. 13221****Product meets the requirements of:****ISO 20347: 2012 OB****Material:** PVC**Lining:** textile material**System installation:** formed by injection moulding**Available sizes:** 36 - 42**Available colors:** navy blue, black -**Height shoes:** 25 cm**Weight per pair:** about 1,2 kg**Art. 13261****Product meets the requirements of:****ISO 20347: 2012 OB****Material:** PVC**Lining:** textile material**System installation:** formed by injection moulding**Available sizes:** 41 - 46**Available colors:** navy blue**Height shoes:** 30 cm**Weight per pair:** about 1,8 kg

Stomilek

kalosze dziecięce

children's rain boots



Art. 51051 STOMILEK

Footwear meets the requirements of UE regulation 2016/425

Top and bottom: EVA

Sock: three-layer hygienic non-woven fabric version without sock - [art. 51050](#)

Mounting system: injection molding

Available sizes: 20 - 35

Available colours: navy, pink, green, blue

Height of shoes: 20 cm

Steam weight: about 0.3 kg

| | packing | | | | | | | |
|-------------------|---------|-------|-------|-------|-------|-------|-------|-------|
| Size | 20/21 | 22/23 | 24/25 | 26/27 | 28/29 | 30/31 | 32/33 | 34/35 |
| Pairs in a carton | 10 | 10 | 10 | 6 | 6 | 6 | 6 | 6 |





Art. 51053 STOMILEK

Footwear meets the requirements of UE regulation 2016/425

Top and bottom: EVA

Sock: three-layer hygienic non-woven fabric

Mounting system: injection molding

Available sizes: 20 - 35

Available colours: navi, pink, green, blue

Height of shoes: 20 cm

Steam weight: about 0.3 kg

| packing | | | | | | | | |
|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Size | 20/21 | 22/23 | 24/25 | 26/27 | 28/29 | 30/31 | 32/33 | 34/35 |
| Pairs in a carton | 10 | 10 | 10 | 6 | 6 | 6 | 6 | 6 |



Art. 51059 STOMILEK

Footwear meets the requirements of UE regulation 2016/425

Top and bottom: EVA

Sock: three-layer hygienic non-woven fabric

Mounting system: injection molding

Available sizes: 20 - 35

Available colours: navy, pink, green, blue

Height of shoes: 20 cm

Steam weight: about 0.3 kg

| packing | | | | | | | | |
|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Size | 20/21 | 22/23 | 24/25 | 26/27 | 28/29 | 30/31 | 32/33 | 34/35 |
| Pairs in a carton | 10 | 10 | 10 | 6 | 6 | 6 | 6 | 6 |





Art. 56011 TORINO

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Sock: a three-layer non-woven napkin

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: olive

Height shoes: 29 cm

Weight per pair: about 0,6 kg



Art. 53011 VERONA

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Sock: a three-layer non-woven napkin

System installation: formed by injection moulding

Available sizes: 35 - 42

Available colors: olive

Height shoes: 27 cm

Weight per pair: about 0,5 kg



Art. 56201 GARDEN

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Lining: non-woven

Collar: felt

System installation: formed by injection moulding

Available sizes: 40 - 46

Available colors: black

Height shoes: 37 cm

Weight per pair: about 0,6 kg



Art. 56203 GARDEN

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Lining: non-woven

Collar: water resistant fabric

System installation: formed by injection moulding

Available sizes: 40 - 46

Available colors: black

Height shoes: 37 cm

Weight per pair: about 0,7 kg



Art. 56110 AMARO

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

System installation: formed by injection moulding

Available sizes: 41 - 48, in the version for women 36 - 40, **art. 53110**

Available colors: olive

Height shoes: 11 cm

Weight per pair: about 0,3 kg



Art. 53150 AMARO

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

System installation: formed by injection moulding

Available sizes: 36 - 40

Available colors: turquoise, pink, blue, lime, orange, violet

Height shoes: 11 cm

Weight per pair: about 0,3 kg



Art. 56111 AMARO

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Sock: non-woven

System installation: formed by injection moulding

Available sizes: 41 - 46, in the version for women 36 - 40, **art. 53111**

Available colors: olive

Height shoes: 11 cm

Weight per pair: about 0,3 kg



Art. 56113 AMARO

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 41 - 46, in the version for women 36 - 40, **art. 53113**

Available colors: olive

Height shoes: 15 cm

Weight per pair: about 0,5 kg





Art. 53650 HOLIDAY WOMAN

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

System installation: formed by injection moulding

Available sizes: 36 - 40

Available colors: rose-lime, lime-rose, blue-lime

Height shoes: 10 cm

Weight per pair: about 0,3 kg



Art. 56650 HOLIDAY MAN

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

System installation: formed by injection moulding

Available sizes: 41 - 46

Available colors: black-gray, gray-black, navy blue

Height shoes: 10 cm

Weight per pair: about 0,3 kg



EVA



GUMA



PVC



TRC





Art. 56401 SLOVAK

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: TRC

Lining: felt

Collar: felt

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: black

Height shoes: 40 cm

Weight per pair: about 1 kg



Art. 56506 MONSTER

Product meets the requirements of: ISO 20345: 2012 SB P CI SRC

~~ISO 20345~~ 2012 SB CI SRC -

Material: TRC

Sock: a three-layer non woven napkin

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: black

to order: yellow, green, orange, blue, olive

Height shoes: 40 cm

Weight per pair: about 1,6 kg



Art. 56411 SLOVAK

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: TRC

Sock: a three-layer non woven napkin

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: olive

Height shoes: 40 cm

Weight per pair: about 1 kg



Art. 56511 MONSTER

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: TRC

Sock: a three-layer non woven napkin

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: olive

to order: yellow, green, orange, blue

Height shoes: 40 cm

Weight per pair: about 1,4 kg



Art. 864/F

Product meets the requirements of:
ISO 20347: 2012 OB SRC

Upper: breathing material microfiber
Outsole: PU shock absorber
Lining: 2D-Air Fresh
Insole: exchangeable nonwoven Santized
System installation: glued-sewn
Available sizes: 40 - 46
Available colors: white
Height shoes: 12 cm
Weight per pair: about 0,8 kg



Art. 912/2F - 929

Product meets the requirements of:
ISO 20347: 2012 OB SRC

ISO 20345: 2012 S1 SRC
ISO 20345: 2012 S1 P SRC
Upper: breathing material microfiber
Outsole: PU shock absorber
Lining: 2D-Air Fresh
Insole: exchangeable nonwoven Santized
System installation: glued-sewn
Available sizes: 36 - 47
Available colors: white
Height shoes: 12 cm
Weight per pair: about 0,8 kg



Art. 909/2F - 926

Product meets the requirements of:
ISO 20347: 2012 OB SRC


ISO 20345: 2012 S2 SRC
ISO 20345: 2012 S3 SRC
Upper: breathing material microfiber
Outsole: PU shock absorber
Lining: 2D-Air Fresh
Insole: exchangeable nonwoven Santized
System installation: glued-sewn
Available sizes: 36 - 47
Available colors: white
Height shoes: 17 cm
Weight per pair: about 0,8 kg



Art. 909/3F - 934

Product meets the requirements of:
ISO 20347: 2012 OB SRC

ISO 20345: 2012 S2 SRC
ISO 20345: 2012 S3 SRC
Upper: breathing material microfiber
Outsole: PU shock absorber
Lining: 2D-Air Fresh
Insole: exchangeable nonwoven Santized
System installation: glued-sewn
Available sizes: 36 - 47
Available colors: white
Height shoes: 17 cm
Weight per pair: about 0,8 kg





Art. 910/2F - 927

Product meets the requirements of:

ISO 20347: 2012 OB SRC

ISO 20345: 2012 S2 SRC

ISO 20345: 2012 S3 SRC

Upper: breathing material microfiber

Outsole: PU shock absorber

Lining: 2D-Air Fresh

Insole: exchangeable nonwoven Santized

System installation: glued-sewn

Available sizes: 36 - 47

Available colors: white

Height shoes: 12 cm

Weight per pair: about 0,8 kg



Art. 910/3F - 928

Product meets the requirements of:

ISO 20347: 2012 OB SRC

ISO 20345: 2012 S2 SRC

ISO 20345: 2012 S3 SRC

Upper: breathing material microfiber

Outsole: PU shock absorber

Lining: 2D-Air Fresh

Insole: exchangeable nonwoven Santized

System installation: glued-sewn

Available sizes: 36 - 47

Available colors: white

Height shoes: 12 cm

Weight per pair: about 0,8 kg



Art. SPS 900

Product meets the requirements of:

ISO 20347: 2012 O4 FO SRC

Material: PVC modified with rubber

Lining: felt

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 39 - 47

Available colors: white-blue

Height shoes: 37 cm

Weight per pair: about 1,8 kg



Art. 13012 PRO

Product meets the requirements of:

ISO 20347: 2012 OB FO SRA

Material: PVC modified with rubber

Lining: textile materials

System installation: formed by injection moulding

Available sizes: 39 - 46

Available colors: white-blue

Height shoes: 40 cm

Weight per pair: about 2 kg





Art. 13022 PRO

Product meets the requirements of:

ISO 20347: 2012 OB FO SRC

Material: PVC modified with rubber

Lining: textile

System installation: formed by injection moulding.

Available sizes: 36 - 42

Available colors: white-blue

Height shoes: 25 cm

Weight per pair: about 1,2 kg



Art. 13270 PRO

Product meets the requirements of:

ISO 20345: 2012 S4 SRC

Material: PVC modified with rubber

Lining: polyamide fabric

System installation: formed by injection moulding.

Available sizes: 39 - 48

Available colors: white-blue

Height shoes: 37 cm

Weight per pair: about 2,5 kg



PREMIUM WHITE



Art. 56031 TORINO SRC

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Sock: a three-layer non-woven hygiene

System installation: formed by injection moulding

Available sizes: 41 - 47,

art. 53031 VERONA 35 - 40,

Available colors: white

Height shoes: 29 cm

Weight per pair: about 0,5 kg



Art. 56033 TORINO SRC

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 41 - 46,

in the version for women 36 - 40,

Available colors: white

Height shoes: 29 cm

Weight per pair: about 0,5 kg



art. 53033 VERONA



Art. 56134 AMARO SRC

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Insert: anatomically profiled

System installation: formed by injection moulding

Available sizes: 41 - 48, version for women 36 - 40, [art. 53134](#)



Available colors: white

Height shoes: 11 cm

Weight per pair: about 0,3 kg



Art. 56630 HOLIDAY

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Insert: anatomically profiled

System installation: formed by injection moulding

Available sizes: 41 - 46, version for women 36 - 40, [art. 53630](#)



Available colors: white

Height shoes: 11 cm

Weight per pair: about 0,3 kg



Art. 1133

Meets the following standards:

PN-EN ISO 20347: 2012 O2 WRU SRC

PN-EN ISO 20345: 2012 S2 WRU SRC

PN-EN ISO 20345: 2012 S3 WRU SRC

Upper: breathable microfiber

Lining: 2D Air-fresh

Padding: profiled, anti-static+ shock-absorber

Outysole: PU / TPU

System installation: of injection

Available sizes: 36 - 48

Available colours: white

Height of shoes: 15 cm

Weight per pair: about 0.9 kg





Art. 1134

Meets the standards:

PN-EN ISO 20347: 2012 O2 WRU SRC

PN-EN ISO 20345: 2012 S2 WRU SRC

PN-EN ISO 20345: 2012 S3 WRU SRC

Upper: breathable microfiber

Lining: 2D Air-fresh

Padding: profiled, anti-static + schock-absorber

Sole: PU / TPU

System installation: injection

Available sizes: 36 - 48

Available colors: white

Height of shoes: 11 cm

Weight per pair: about 0.9 kg



Art. 1135

Meets the standards:

PN-EN ISO 20347: 2012 O2 WRU SRC

PN-EN ISO 20345: 2012 S2 WRU SRC

PN-EN ISO 20345: 2012 S3 WRU SRC

Upper: breathable microfiber

Lining: 2D Air-fresh

Padding: profiled, anti-static + schock-absorber

Sole: PU / TPU

System installation: injection

Available sizes: 36 - 48

Available colors: white

Height of shoes: 11 cm

Weight per pair: about 0.8 kg



Art. 1136

Meets the standards:

PN-EN ISO 20347: 2012 O2 WRU SRC

PN-EN ISO 20345: 2012 S2 WRU SRC

PN-EN ISO 20345: 2012 S3 WRU SRC

Upper: breathable microfiber

Lining: 2D Air-fresh

Padding: profiled, anti-static + schock-absorber

Sole: PU / TPU

System installation: injection

Available sizes: 36 - 48

Available colors: white

Height of shoes: 8 cm

Weight per pair: about 0.7 kg



Art. 1137

Meets the standards:

PN-EN ISO 20347: 2012 O2 WRU SRC

PN-EN ISO 20345: 2012 S2 WRU SRC

PN-EN ISO 20345: 2012 S3 WRU SRC

Upper: breathable microfiber

Lining: 2D Air-fresh

Padding: profiled, anti-static + schock-absorber

Sole: PU / TPU

System installation: injection

Available sizes: 36 - 48

Available colors: white


Height of shoes: 15 cm

Weight per pair: about 0.9 kg



Art. 1100

Product meets the requirements of:
ISO 20347: 2012 O2 FO SRC
ISO 20345: 2012 S2 SRC
ISO 20345: 2012 S3 SRC
Upper: leather embossed
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: black
Height shoes: 17 cm
Weight per pair: about 0,8 kg



Art. 1101

Product meets the requirements of:
ISO 20347: 2012 O2 FO SRC
ISO 20345: 2012 S2 SRC
ISO 20345: 2012 S3 SRC
Upper: grain leather
Lining: cloth anti-vibration
Outsole: PU Techwork
System Installation: injection technology
Available sizes: 36 - 47
Available colors: black
Height shoes: 17 cm
Weight per pair: about 0,8 kg



Art. 1101/1

Product meets the requirements of:
ISO 20347: 2012 O1 FO SRC
ISO 20345: 2012 S1 SRC
ISO 20345: 2012 S1 P SRC
Upper: velor leather
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: anthracite
Height shoes: 17 cm
Weight per pair: about 0,8 kg



Art. 1101/2

Product meets the requirements of:
ISO 20347: 2012 O1 FO SRC
ISO 20345: 2012 S1 SRC
ISO 20345: 2012 S1 P SRC
Upper: nubuck leather
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: honey
Height shoes: 17 cm
Weight per pair: about 0,8 kg



Art. 1102

Product meets the requirements of:

ISO 20347: 2012 O2 FO SRC

ISO 20345: 2012 S2 SRC

ISO 20345: 2012 S3 SRC

Upper: grain leather

Lining: cloth anti-vibration

Outsole: PU Techwork

System Installation: injection technology

Available sizes: 36 - 47

Available colors: black

Height shoes: 14 cm

Weight per pair: about 0,8 kg



Art. 1102/2

Product meets the requirements of:

ISO 20347: 2012 O1 FO SRC

ISO 20345: 2012 S1 SRC

ISO 20345: 2012 S1 P SRC

Upper: nubuck leather

Lining: cloth anti-vibration

Outsole: PU Techwork

System installation: injection technology

Available sizes: 36 - 47

Available colors: honey

Height shoes: 14 cm

Weight per pair: about 0,8 kg



Art. 1102/1

Product meets the requirements of:

ISO 20347: 2012 O1 FO SRC

ISO 20345: 2012 S1 SRC

ISO 20345: 2012 S1 P SRC

Upper: velor leather

Lining: cloth anti-vibration

Outsole: PU Techwork


System Installation: injection technology

Available sizes: 36 - 47

Available colors: anthracite

Height shoes: 14 cm

Weight per pair: about 0,8 kg



Art. 1103

Product meets the requirements of:

ISO 20347: 2012 O2 FO SRC

ISO 20345: 2012 S2 SRC

ISO 20345: 2012 S3 SRC

Upper: grain leather

Lining: cloth anti-vibration

Outsole: PU Techwork


System installation: injection technology

Available sizes: 36 - 47

Available colors: black

Height shoes: 14 cm

Weight per pair: about 0,8 kg






Art. 1104

Product meets the requirements of:
ISO 20347: 2012 O1 FO SRC
ISO 20345: 2012 S1 SRC
ISO 20345: 2012 S1 P SRC

Upper: grain leather
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: black
Height shoes: 13 cm
Weight per pair: about 0,7 kg



Art. 1104/1

Product meets the requirements of:
ISO 20347: 2012 O1 FO SRC
ISO 20345: 2012 S1 SRC
ISO 20345: 2012 S1 P SRC


Upper: velor leather
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: anthracite
Height shoes: 13 cm
Weight per pair: about 0,7 kg



Art. 1105

Product meets the requirements of:
ISO 20347: 2012 O2 FO SRC
ISO 20345: 2012 S2 SRC
ISO 20345: 2012 S3 SRC

Upper: leather embossed
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: black
Height shoes: 18 cm
Weight per pair: about 1 kg



Art. 1108/1

Product meets the requirements of:
ISO 20347: 2012 O1 FO SRC
ISO 20345: 2012 S1 SRC
ISO 20345: 2012 S1 P SRC


Upper: velor leather
Lining: cloth anti-vibration
Outsole: PU Techwork
System installation: injection technology
Available sizes: 36 - 47
Available colors: black
Height shoes: 13 cm
Weight per pair: about 0,7 kg



Art. 1150

Product meets the requirements of:
ISO 20347: 2012 O2 FO HRO SRC
ISO 20345: 2012 S2 HRO SRC
ISO 20345: 2012 S3 HRO SRC

Upper: leather embossed
Lining: cloth anti-vibration
Outsole: natural rubber Techwork II
System installation: glued-sewn
Available sizes: 38 - 48
Available colors: black
Height shoes: 16 cm
Weight per pair: about 1,1 kg



Art. 1151

Product meets the requirements of:
ISO 20347: 2012 O2 FO HRO SRC
ISO 20345: 2012 S2 HRO SRC
ISO 20345: 2012 S3 HRO SRC


Upper: leather embossed
Lining: cloth anti-vibration
Outsole: natural rubber Techwork II
System installation: glued-sewn
Available sizes: 38 - 48
Available colors: black
Height shoes: 24 cm
Weight per pair: about 1,2 kg



Art. 1152

Product meets the requirements of:
ISO 20347: 2012 O2 FO HRO SRC
ISO 20345: 2012 S2 HRO SRC
ISO 20345: 2012 S3 HRO SRC

Upper: leather embossed
Lining: anti-vibration cloth
Outsole: natural rubber Techwork II
System installation: glued-sewn
Available sizes: 38 - 48
Available colors: black
Height shoes: 28 cm
Weight per pair: about 1,3 kg



Art. 1153

Product meets the requirements of:
ISO 20347: 2012 O2 FO HRO SRC
ISO 20345: 2012 S2 HRO SRC
ISO 20345: 2012 S3 HRO SRC

Upper: leather embossed / grain
Lining: anti-vibration cloth / fleece
Outsole: natural rubber Techwork II
System installation: glued-sewn
Available sizes: 38 - 48
Available colors: black
Height shoes: 18 cm
Weight per pair: about 1,1 kg



TO ORDER



Art. 1154

Product meets the requirements of:
ISO 20347: 2012 O2 FO HRO SRC
ISO 20345: 2012 S2 HRO SRC
ISO 20345: 2012 S3 HRO SRC

Upper: leather embossed
Lining: anti-vibration cloth
Outsole: natural rubber Techwork II
System installation: glued-sewn
Available sizes: 38 - 48
Available colors: black
Height shoes: 16 cm
Weight per pair: about 1,1 kg



Art. 1126

Product meets the requirements of:
PN-EN ISO 20347: 2012 O1 SRC
PN-EN ISO 20345: 2012 S1 SRC
PN-EN ISO 20345: 2012 S1 P. SRC

Upper: velour leather, airmet fabric + 3M reflective material
Outsole: PU / TPU
System installation: injection
Available sizes: 36-48
Available colors: black
Weight per pair: 11 cm



TECHWORK

3M Scotchlite™

Reflective Material

Reflective material Scotchlite™ from 3M™ ensures better visibility of people at night, in dusk and under other insufficient lighting conditions. Good visibility extends the reaction time of the driver or machine operator and ensures protection against a serious accident.

TECHWORK ACTIVE

ATF is a leading biocycle technology used in the production of professional footwear.

Thanks to the innovative production process where we used biocide technology, which is proved to be effective, we have created shoes that are perfect for many industries, everywhere, where the hygiene of the user and the work environment have to meet the highest standards.

ANTIBACTERIAL TECHNICAL FOOTWEAR



Biocidal protection

Footwear treated with biocide, which prevents the growth of bacteria, fungi and microbes.



Comprehensive protection

Total antibacterial protection and antifungal covering the bottom and the top of the footwear.



For professionals

Designed to be used everyday, during long working hours.



Hygiene and cleanliness

Active agents neutralize unpleasant odors, in the same time increasing the comfort of use.

PATENT APPLICATION P. 41 82 94

S1

S2

?



?



OB

S3



NOWY WZÓR

3M



Art. 1127

Product meets the requirements of:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC

Top: velour leather + 3M reflective fabric

Outsole: PU / TPU

Mounting system: injection

Available sizes: 36-48

Available colors: black

Height of shoes: 14 cm



NOWY WZÓR



Art. 1128

Product meets the requirements of:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC

Top: velour leather

Sole: PU / TPU

Mounting system: injection

Available sizes: 36-48

Available colors: grey

Height of shoes: 11 cm

Steam weight: 0.9 kg



NOWY WZÓR



Art. 1130

Product meets the requirements of:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC

Top: velour leather

Sole: PU / TPU

System instalation: injection

Available sizes: 36-48

Available colors: grey

Height of shoes: 11 cm

Weight of the pair: 0.9 kg



NOWY WZÓR



Art. 1131

Product meets the requirements of:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC

Top: velour leather

Outsole: PU / TPU

System instalation: injection

Available sizes: 36-48

Available colors: brown

Height of shoes: 11 cm

Weight of the pair: 0.8 kg



Art. 1108P ESD

Product meets the requirements of:

ISO 20347: 2012 O1 FO SRC

ISO 20345: 2012 S1 S1P SRC

61340-5-1:2017 kl. 3

Upper: leather grain + cloth

Lining: cloth anti-vibration

Outsole: PU Techwork


System installation: injection technology

Available sizes: 36 - 47; with toe cap 35 - 46

Available colors: black

Height shoes: 14 cm

Weight per pair: about 0,8 kg



Art. 1108/1P ESD

Product meets the requirements of:

ISO 20347: 2012 O1 FO SRC

ISO 20345: 2012 S1 S1P SRC

61340-5-1:2017 kl. 3

Upper: leather velor + cloth

Lining: cloth anti-vibration

Outsole: PU Techwork

System installation: injection technology

Available sizes: 36 - 47; with toe cap 35 - 46

Available colors: black

Height shoes: 14 cm

Weight per pair: about 0,8 kg



Art. 1104P ESD

Product meets the requirements of:

ISO 20347: 2012 O1 FO SRC

ISO 20345: 2012 S1 S1P SRC

61340-5-1:2017 kl. 3

Upper: grain leather

Lining: cloth anti-vibration

Outsole: PU Techwork


System installation: injection technology

Available sizes: 36 - 47; with toe cap 35 - 46

Available colors: black

Height shoes: 14 cm

Weight per pair: about 0,7 kg



Art. 1104/1P ESD

Product meets the requirements of:

ISO 20347: 2012 O1 FO SRC

ISO 20345: 2012 S1 S1P SRC

61340-5-1:2017 kl. 3

Upper: velor leather

Lining: cloth anti-vibration

Outsole: PU Techwork

System installation: injection technology

Available sizes: 36 - 47; with toe cap 35 - 46

Available colors: anthracite

Height shoes: 14 cm

Weight per pair: about 0,7 kg



Art. 1128 ESD

Meets the standards:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC
 PN-EN 61340-5-1: 2017, class 3

Upper: breathable microfiber
Outsole: PU / TPU
System installation: injection
Available sizes: 36 - 48
Available colors: black
Height of shoes: 11 cm
Weight per pair: about 0,9 kg



Art. 1130 ESD

Meets the standards:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC
 PN-EN 61340-5-1: 2017, class 3

Upper: breathable microfiber
Outsole: PU / TPU
System installation: injection
Available sizes: 36 - 48
Available colors: black
Height of shoes: 11 cm
Weight per pair: about 0,9 kg



Art. 1131 ESD

Meets the standards:
 PN-EN ISO 20347: 2012 O1 SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P. SRC
 PN-EN 61340-5-1: 2017, class 3

Upper: breathable microfiber
Outsole: PU / TPU
System installation: injection
Available sizes: 36 - 48
Available colors: black
Height of shoes: 11 cm
Weight per pair: about 0,8 kg

Meets the following standards:
 PN-EN ISO 20347: 2012 O2 WRU SRC
 PN-EN ISO 20345: 2012 S2 WRU SRC
 PN-EN ISO 20345: 2012 S3 WRU SRC

Upper: breathable microfiber
Lining: 2D Air-fresh
Padding: profiled, anti-static+ schock-absorber
Outsole: PU / TPU
System installation: of injection
Available sizes: 36 - 48
Available colours: white
Height of shoes: 15 cm
Weight per pair: about 0.9 kg

TRC LIGHT TECH



Art. 56341 HUBERT

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: TRC

System installation: formed injection moulding

Sock: a three-layer non-woven napkin

Available sizes: 40 - 47

Available colors: khaki

Height shoes: 40 cm

Weight per pair: about 1,5 kg



Art. 833 MYŚLIWSKI

Upper: natural leather

Outsole: PU

Lining: leather

System installation: glued-sewn

Available sizes: 40 - 46

Available colors: masking brown

Art. 863 MYŚLIWSKI

Upper: natural leather

Outsole: PU

Lining: leather

System installation: glued-sewn

Available sizes: 40 - 46

Available colors: forest green



Art. 819 WODER

Product meets the requirements of:

ISO 20347: 2012 OB SRC

Material: rubber

Lining: cotton

System installation: vulcanization forms, manual packaging

Available sizes: 39 - 47

Available colors: black

Height shoes: 85 cm

Weight per pair: about 3 kg



Art. F-901

Product meets the requirements of:

ISO 20347: 2012 OB CI SRC

Material: PVC

Lining: non-woven

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 39 - 46

Available colors: black

Height shoes: 31 cm

Weight per pair: about 1,8 kg

TO ORDER



FEATURES: reinforced ankle, innovative, technical, breathable and waterproof leather.

Art. 930 GROM

Upper: natural leather

Lining: cloth 3D Air-Space

System installation: glued-sewn

Outsole: TR

Available sizes: 36 - 48

Available colors: black SE

Height shoes: 24 cm

Weight per pair: about 1,2 kg

TO ORDER



Art. 932 STRZELECKI

Upper: natural leather
Lining: cloth 3D Air-Space
System installation: glued-sewn
Outsole: TR
Available sizes: 36 - 48
Available colors: moro
Height shoes: 11 cm
Weight per pair: about 1 kg

TO ORDER



Art. 932 MARINES

Upper: natural leather
Lining: cloth 3D Air-Space
System installation: glued-sewn
Outsole: TR
Available sizes: 36 - 48
Available colors: black SE
Height shoes: 11 cm
Weight per pair: about 1 kg

TO ORDER



Art. 1106 HUBERTUS

Top: waterproof nubuck leather, breathable
Lining: 3D Air-Space fabric
Mounting system: injection
Outsole: PU
Available sizes: 36 - 48
Available colors: brown
Height of shoes: 24 cm
Weight per pair: about 1,4 kg

TO ORDER



Art. 1136 HUNTING

Top: waterproof nubuck leather, breathable
Lining: 3D Air-Space fabric
Mounting system: injection
Outsole: PU / TPU
Available sizes: 36 - 48
Available colors: forest green
Height of shoes: 11 cm
Weight per pair: about 0.9 kg

TO ORDER



Art. 1121 ACTIVE

Top: waterproof nubuck leather, breathable

Lining: polyamide membrane

Mounting system: injection

Outsole: PU / TPU

Available sizes: 36 - 48

Available colors: masking brown, forest green

Height of shoes: 11 cm

Weight of the pair: about 1,0 kg

TO ORDER



Art. 1122 TRIAL

Top: waterproof nubuck leather, breathable

Lining: polyamide membrane

Mounting system: injection

Outsole: PU / TPU

Available sizes: 36 - 48

Available colors: masking brown, forest green

Height of shoes: 16 cm

Weight of the pair: about 1,2 kg

TO ORDER



Art. 1123 TREX

Top: waterproof nubuck leather, breathable

Lining: polyamide membrane

Mounting system: injection

Outsole: PU / TPU

Available sizes: 36 - 48

Available colors: masking brown, forest green

Height of shoes: 16 cm

Weight of the pair: about 1,2 kg

TO ORDER



Art. 1125 CITY

Top: waterproof nubuck leather, breathable

Lining: polyamide membrane

Mounting system: injection

Outsole: PU / TPU

Available sizes: 36 - 48

Available colors: masking brown, forest green

Height of shoes: 12 cm

Weight of the pair: about 0,8 kg



Art. 13076

Product meets the requirements of:

ISO 20347: 2012 OB

Material: PVC

Lining: textile materials

System installation: formed by injection moulding

Available sizes: 39 - 46

Available colors: camouflage

Height shoes: 40 cm

Weight per pair: about 2 kg



Art. 2009

Product meets the requirements of:

ISO 20347: 2012 OB SRC

Material: rubber

Lining: cotton

System installation: vulcanization forms, manual packaging

Available sizes: 39 - 47

Available colors: black

Weight per pair: about 3,4 kg



Art. 53013 VERONA

Footwear meets the requirements of

the Directive 89/686 / EWG and Regulation

of the Minister of Economy

Material: EVA

Contribution: a three-layer non-woven napkin

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 35 - 42

Available colors: olive

Height shoes: 33 cm

Weight per pair: about 0,4 kg





Art. 56013 TORINO

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Contribution: a three-layer non-woven napkin

Collar: waterproofing fabric moro

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: olive

Height shoes: 36 cm

Weight per pair: about 0,7 kg



Art. 56213 GARDEN

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: EVA

Lining: non-woven

Collar: waterproofing fabric moro

System installation: formed by injection moulding

Available sizes: 40 - 46

Available colors: olive

Height shoes: 37 cm

Weight per pair: about 0,7 kg



Art. 56344 HUBERT

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: TRC

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: khaki

Height shoes: 40 cm

Weight per pair: about 1 kg



Art. 56513 MONSTER

Footwear meets the requirements of the Directive 89/686 / EWG and Regulation of the Minister of Economy

Material: TRC

Contribution: a three-layer non-woven napkin

Collar: waterproofing fabric

System installation: formed by injection moulding

Available sizes: 40 - 47

Available colors: olive

Height shoes: 40 cm

Weight per pair: about 1 kg





Art. 6271 LEŚNIK

Product meets the requirements of:

ISO 20347: 2012 OB CI SRC

Material: rubber

Lining: non-woven

Collar: waterproofing fabric

System installation: vulcanization forms

Available sizes: 39 - 47

Available colors: black

Height shoes: 37 cm

Weight per pair: about 2 kg



Accessories



Art. 12 Contribution to warming

Sizes: 39 - 47

Material: felt incombustible

Colour: white

The contribution of thermo insulating boot firefighters universal.



Art. 14 Insulated input

Sizes: 36 - 42

Material: non-woven fabric trimmed with white tape, design for the shoe eversion

Colour: white

The contribution of warming - supplementary equipment for shoes designed for the food industry, art. 13022 PRO



Art. 15 Insulated input

Sizes: 39 - 46

Material: non-woven fabric trimmed with white tape, design for the shoe eversion

Colour: white

The contribution of warming - supplementary equipment for shoes designed for the food industry, art. 13012 PRO



Art. 23 Insulated input

Sizes: 36 - 42

Material: non-woven design for the shoe eversion

Colour: graphite

The contribution of warming - Equipment shoes, art. 13121, art. 13221



Art. 25 Insulated input

Sizes: 39 - 47

Material: non-woven design for the shoe eversion

Colour: black

The contribution of warming - can apply to all work boots for men.



Art. 26 The contribution of warming-woven shoe type Waders

Sizes: 39 - 48

Material: non-woven

Colour: black

Possible retrofitting shoes, art. 819, art. 820, art. 822



Art. 27 Insulated input - VERONA

Sizes: 36 - 42

Material: felt

design for the shoe eversion

Colour: black

The contribution of warming - supplementary equipment for shoes, art. 53011



Art. 28 Insulated input - TORINO

Sizes: 40 - 47

Material: felt

design for the shoe eversion

Colour: black

The contribution of warming - supplementary equipment for shoes, art. 56011



Art. 29 Insulated input - MONSTER

Sizes: 40 - 47

Material: felt

design for the shoe eversion

Colour: black

The contribution of warming - supplementary equipment for shoes, art. 56505, art. 56506, art. 56511



Art. 33 Insulating insert

Sizes: 35 - 48

Material: felt

Thickness: 5,5 mm

Weight: 650

Colour: graphite

Additional features: thermal insulation



Art. 34 Insulating insert

Sizes: 35 - 48

Material: felt + aluterna

Thickness: 6 mm

Weight: 350

Colour: graphite

Additional features: thermal insulation



Art. 35 Insert

Sizes: 35 - 48

Material: hygienic, antibacterial Sanitized

Thickness: 4 mm

Colour: blue-white

oil-resistant outsoles

Symbols for marking additional footwear properties:

CI – cold insulation of sole

A – anti-static

P – penetration - resistant insole, penetration resistance 1100 N

SRA – slip resistance (of soles) on ceramic tile floors

SRC – slip resistance (of soles) on ceramic tile floors and steel floors

WRU – water resistant upper

HRO – heat resistant outer sole (300°C/min)



MONSTER WELLIES

WINNER OF THE GOLD MEDAL SAWO 2018

FAGUM-STOMIL 

Fagum-Stomil Sp. z o.o.
st. Łapiguz 118
21-400 Łuków
Poland
NIP: 952 182 06 09

Your business partner

Contact:
sprzedaz@fagum.pl
(25) 797 25 25
(25) 797 25 26

Export:
export@fagum.pl
+ 48 690 810 107

www.fagum.pl



DUMNIE Z POLSKI